




Evidence-based Design for Health Information Technology (HIT)

Keith A. Butler March, 2014

Complaint – U.S. health care most costly in the world



Source: Organization for Economic Co-operation and Development (2010), "OECD Health Data", *OECD Health Statistics* (database). doi: 10.1787/data-00350-en (Accessed on 14 February 2011).

Slide is courtesy The Kaiser Family Foundation, Kaiser Fast Facts. Data Source, accessed on 11/26/11, available at http://facts.kff.org/results.aspx?view=slides&detail=43

Complication -

HIT has great potential that can't be realized with conventional, hit-or-miss methods

- HIT has powerful impact on the way care can be practiced
- Unpredictable HIT impact on workflow can
 - risk patient safety
 - disrupt appropriate care
 - undermine needed efficiency gains

Diagnosis -

Conventional HIT functions are not co-designed to work smoothly with important, manual activities in the workflow of care

 usability testing only covers the user interface, not the workflow


Ineffective treatment -



Just pave the cow paths



Rx – make improvement of clinical workflow integral to the way HIT systems are created



measurably better care

Protocol -

Use MATH¹ to co-design HIT with workflow

- MATH extends easily understood BPMN standard
- Better information resources can be traded-off for less physical resource use

MATH makes beneficial impact to workflow a quantifiable, predictable part of HIT system design

1. Modeling & Analysis Toolsuite for Healthcare – patent pending 13/740,681

Case Study - Priority Contact

Reduces unproductive clinician time to contact patients quickly about test results


- harvests EHR data to carry out appropriate procedures
- can improve quality measures for patient contact
- won award in national SMART Apps competition

Clinicians participated in concept design and critique impact on quality


Part of as-is manual workflow to contact patients

Process Complete assessment and care plan Life threatening cal priority-1 Confirm Send patient to yes diagnosis and ER threatening severity High priority high priority phone call contact patient Determine appropriate Middle priority intervention phone call middle priority select preferred mode phone call Determine Mail ommunicatio contactl priority priority EndM2 MyHealtheVet EndM3 Low priority phone call low priority phone call preferred mode of MvHealtheVet Fndl 2 Tuesday, May 03, 2011 asIsRemoteComm-images.vsd

Streamlined with *Priority Contact*




Formative evidence for efficiency impact of *Priority Contact* - discrete-event simulation




1. Re-assign manual tasks to *HIT services* in MATHflow

2. Run MATHsim to analyze efficiency impact of new system on workflow




Evidence Progression for *Priority Contact*

Data that guided design: Formative comparison of monthly hours spent contacting patients



Revised comparison from measured alpha test results



Demonstrates technical feasibility of evidence-based design of HIT

detailed model provides accuracy

Side Effects -

- Labor intensive
 - MATH projects require 15-20 hours of clinician interviews and observations
- Skill level need for MATH projects is still high
 - Ethnographic research
 - Clinical experience
 - Systems modeling & simulation
 - Impact evaluation
 - Software design/implementation
- Mitigation
 - 1.5-day training course for MATH is available and several BPMN tutorials are online
 - Each subsequent project can help build a library of reusable model components

Summary -

- MATH models the workflow of clinical care to understand how it should be improved with HIT
- Credible proxy measures of HIT impact can be derived from workflow models to guide design

All models are wrong . .

. . but some are useful.

- George Box, distinguished statistician

Thank you.